



Student Experience
Educational Packet

Updated for the August 2021 Fall Semester

Packet Revised 8.19.2021 A.P.

Welcome to Student Experiences 2021!

You will need to review the information in this packet. Please complete the following items **before the start date** of your student experience. **The educational requirements for students are evaluated on an ongoing basis. Any additions or changes in the educational requirements due to the evaluation process will be sent to the program coordinator or to the individual students with internships for timely completion.**

1. Read and abide by the **Social/Physical Distancing COVID 19 Policy**.
2. Review and abide by the Donning & Doffing instruction sheets
3. Read and abide by the **COVID 19 Interim Mask Policy**.
 - a. Instructor / students will abide with current policy regarding the wearing of a mask and appropriate PPE at all times upon entrance and during the clinical experience at the healthcare facility. If non-compliant, instructor will be notified, and the student's clinical privileges will be terminated.
 - b. Instructor / students should wear their own cloth mask upon entering the healthcare facility.
 - c. Entrances to use are as listed:

Location	Hours
Emergency Room	24 / 7
7th Street	M-F 5a – 7p Sat/Sun 7a – 7p
Bedford	M-F 5a – 7p Sat/Sun 7a – 7p
Wound Care Center Entrance	M-F 7a – 4p
POB (Physician Office Building)	M-F 7a – 5p

- d. Upon arrival to unit for clinical experience, the appropriate PPE (mask & goggles/face shield) will be distributed to the instructor and students. The instructor or precepting student will call the mask room located on Main 5 to request the number of supplies needed.
- 4. Continuously complete and maintain Screening and Logs: (Please review the revised temperature and screening log information sheet)**
- a. All instructors and students must be screened daily before each experience.
 - b. The instructor is responsible for verifying all students' screening and recording on the daily log. If screening is done electronically, please run a daily report to keep as a log. Please keep all logs for reference until notice of discontinuation of the process.
 - c. If you are a student who is being precepted, please bring your screening log daily so the preceptor can verify. If screening is done electronically, please do a daily verbal verification with your preceptor that the screening was completed and negative.

- d. Logs will be provided by the healthcare facility if needed – see attached example for use.
- e. If an instructor or student fails screening, they will not be able to complete the experience.

5. Aultman Hospital Visitation Restrictions as follows:

a. Effective Tuesday, June 22, 2021, Aultman will make changes to the current visitation

- In June 2021, Ohio discontinued the use of the Public Health Advisory System’s color-coded system
- Visitation hours will remain unchanged
 - 7:00 am to 7:00 pm
- COVID-19 positive or suspected patients will not be permitted a visitor at any level
 - Exceptions to these restrictions can be made for end-of-life situations or extenuating circumstances
 - Follow the exception process that is in place for your facility
- There is no age restriction
- Visitation will be as follows:

COVID-19 Positive	<ul style="list-style-type: none"> • No visitors • Virtual visitation encouraged
General Inpatient Units	<ul style="list-style-type: none"> • Two visitors • Outside of designated visitation hours, admitted surgical patients will be permitted two visitors before surgery and after surgery for up to 2 hours
Emergency Department	<ul style="list-style-type: none"> • Two visitors • Outside of designated visitation hours, admitted Emergency Department patients will be permitted two visitors up to 2 hours after admission to the inpatient unit
LDRP	<ul style="list-style-type: none"> • Two visitors who may stay 24/7
Surgical or Procedural Patients	<ul style="list-style-type: none"> • Two visitors for same day surgeries or procedures
Appointments and Testing	<ul style="list-style-type: none"> • Two visitors
NICU	<ul style="list-style-type: none"> • Follow Akron Children’s Visitation Policy

6. Instructions for Obtaining Clinical Student PPE:

Instructions for Obtaining Clinical Student PPE

All patient caregivers are required to wear a Surgical Mask

Eye protection is only required during patient interaction or if you are with someone that cannot tolerate a mask. When the patient is not masked, all others should be masked. Care givers should encourage patients to wear a mask when they enter their room.

- Additional PPE such as gown, gloves, etc. should be used as required per Standard Precautions.
- Healthcare Professional (HCP) should always wear a mask while they are in the healthcare facility, **including in breakrooms or other places where they might encounter other people and six feet social distancing cannot be maintained.**

Instructions for Obtaining PPE

1. Upon arrival to Aultman Hospital, each instructor will call the PPE Room:
 - PPE phone #1 39721
 - PPE phone #2 39593
 - Off shift administrator 39719
2. Tell the PPE staff the number of students present for the shift.
3. Proceed to Main 5 hallway to the mask room (located on the right-hand side).
4. PPE staff will give the instructor the number of goggles and surgical masks required for the instructor and their students for the shift. When the clinical is completed, return the goggles in a bag to the mask room.
5. Discard the mask at the end of the shift.
6. Note: Cloth masks are available in the PPE room for students to wear in and out of the facility upon request.

Please address additional questions to:

- 0700 – 1600 Monday through Friday
 - Cindy Sponseller 39207
 - Candys Rock 34818
 - Tyler Reichman 37465
- Off shifts, weekends and holidays:
 - Off shift Administrators (OSA) 39719

Once the Required Education is Completed:
For Individual Experiences (Preceptorship/Internship) Students:

1. You will also sign the Aultman Student Experience Education Attestation (incorporated within the Internship Application)

For Group Experiences (with Clinical Instructors) Students:

1. **Please sign** the Aultman Student Experience Education Attestation
2. **Send the Aultman Student Experience Education Attestation to your instructor or program coordinator**

Instructors / Program Coordinators:

1. **Confirm that all participating students have completed the required education.**
 - a. The education should be included with orientation prior to starting on the unit and it must be completed prior to working with patients.
2. **Send the completed Instructor / Program Coordinator Attestation** to Student Experiences StudentExperiences@aultman.com
 - a. This attestation signifies that every student has completed the education and its corresponding components provided in the Aultman Student Experience Educational Packet.
3. **For students wanting to care for COVID 19 patients** or patient under investigation, Fit Testing documentation must be submitted for each student.
 - a. Send the completed documentation to StudentExperiences@aultman.com

Social/Physical Distancing: COVID 19 Policy



TITLE: Social/Physical Distancing: Covid-19	ORIGINAL EFFECTIVE DATE: 04/27/2020	
	REVISION DATE: 05/29/2020	2: 2

Printed copies are for reference only. Please refer to the electronic copy for the latest version.
(This policy rescinds any previous publication covering the same material)

- I. **Policy:** In keeping with Aultman’s mission to “Lead our Community to Improved Health”, Aultman will practice and encourage Social/Physical Distancing.

- II. **Purpose:** To outline the measures to practice Social/Physical Distancing to decrease the risk of disease transmission.

- III. **Definitions:**
Social/Physical Distancing is a public health practice designed to limit the disease transmission by promoting sufficient physical distance between individuals. Taking measures to practice social distancing decreases opportunities for close contact among persons, thereby decreasing the potential for disease transmission among people and slowing the spread of disease. This is everyone’s responsibility.

- IV. **Procedure:**
Social/Physical Distancing measures may include:
 - A. Stay at least 6 feet (about 2 arms’ length) from other people
 - B. Be mindful of the 6-foot distance when:
 - walking in the halls
 - standing in lines such as: in the cafeteria or in the pharmacy
 - C. Clinical areas:
 - Maintain 6 feet between staff members when in nurse’s station, breakrooms and locker rooms
 - Space WOW’s 6 feet apart
 - Limit the number of staff in the medication room
 - Stagger shifts and schedules
 - Stagger lunches and breaks
 - D. Non-clinical areas:
 - Work from home when possible
 - Stagger shifts and schedules
 - Stagger lunches and breaks

- E. Limit the number of staff in elevators
- F. Do NOT use tape on wall or floor surfaces unless approved by VP Facilities & Operation Maintenance and/or Renovation Director. (Tape residue harbors microbes)
- G. Conduct meetings and general communications via email or TEAMS
- H. Avoid handshakes and hugs

Related References:

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/infection-control-recommendations.html>

<https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/social-distancing.html>

<https://www.ehealthmedicare.com/medicare-resources/what-is-social-distancing/>

Coronavirus.Ohio.Gov/ResponsibleRestartOhio


Personal Protective Equipment (PPE) Donning & Doffing for Students

SEQUENCE FOR PUTTING ON PERSONAL PROTECTIVE EQUIPMENT (PPE)

The type of PPE used will vary based on the level of precautions required, such as standard and contact, droplet or airborne infection isolation precautions. The procedure for putting on and removing PPE should be tailored to the specific type of PPE.

1. GOWN

- Fully cover torso from neck to knees, arms to end of wrists, and wrap around the back
- Fasten in back of neck and waist



2. MASK OR RESPIRATOR

- Secure ties or elastic bands at middle of head and neck
- Fit flexible band to nose bridge
- Fit snug to face and below chin
- Fit-check respirator




3. GOGGLES OR FACE SHIELD

- Place over face and eyes and adjust to fit



4. GLOVES

- Extend to cover wrist of isolation gown



USE SAFE WORK PRACTICES TO PROTECT YOURSELF AND LIMIT THE SPREAD OF CONTAMINATION

- Keep hands away from face
- Limit surfaces touched
- Change gloves when torn or heavily contaminated
- Perform hand hygiene



CDC Sequence for Putting On PPE

REMINDER:

- Apply **ALL PPE prior to room entry.**
- Apply surgical mask over top of N95.
- Perform hand hygiene prior to application of PPE.

Modified CDC Sequence for Removing PPE

REMINDER:

- **Remove PPE except eye protection & mask(s) within anteroom (as applicable) or at doorway prior to exiting patient room.**
- **Always perform hand hygiene after PPE removal.**

If you have any questions, please contact the Infection Prevention (IP) Department at 34815.


If you need immediate assistance, call the hospital operator to have the IP on call paged.

HOW TO SAFELY REMOVE PERSONAL PROTECTIVE EQUIPMENT (PPE) EXAMPLE 1

There are a variety of ways to safely remove PPE without contaminating your clothing, skin, or mucous membranes with potentially infectious materials. Here is one example. Remove all PPE before exiting the patient room except a respirator, if worn. Remove the respirator after leaving the patient room and closing the door. Remove PPE in the following sequence:

1. GLOVES

- Outside of gloves are contaminated!
- If your hands get contaminated during glove removal, immediately wash your hands or use an alcohol-based hand sanitizer
- Using a gloved hand, grasp the palm area of the other gloved hand and peel off first glove
- Hold removed glove in gloved hand
- Slide fingers of ungloved hand under remaining glove at wrist and peel off second glove over first glove
- Discard gloves in a waste container



2. GOWN

- Gown front and sleeves are contaminated!
- If your hands get contaminated during gown removal, immediately wash your hands or use an alcohol-based hand sanitizer
- Unfasten gown ties, taking care that sleeves don't contact your body when reaching for ties
- Pull gown away from neck and shoulders, touching inside of gown only
- Turn gown inside out
- Fold or roll into a bundle and discard in a waste container



3. GOGGLES OR FACE SHIELD

- Outside of goggles or face shield are contaminated!
- If your hands get contaminated during goggle or face shield removal, immediately wash your hands or use an alcohol-based hand sanitizer
- Remove goggles or face shield from the back by lifting head band or ear pieces
- If the item is reusable, place in designated receptacle for reprocessing. Otherwise, discard in a waste container




4. MASK OR RESPIRATOR

- Front of mask/respirator is contaminated — DO NOT TOUCH!
- If your hands get contaminated during mask/respirator removal, immediately wash your hands or use an alcohol-based hand sanitizer
- Grasp bottom ties or elastics of the mask/respirator, then the ones at the top, and remove without touching the front
- Discard in a waste container



5. WASH HANDS OR USE AN ALCOHOL-BASED HAND SANITIZER IMMEDIATELY AFTER REMOVING ALL PPE



PERFORM HAND HYGIENE BETWEEN STEPS IF HANDS BECOME CONTAMINATED AND IMMEDIATELY AFTER REMOVING ALL PPE

COVID 19 Interim Mask Protocol



TITLE: COVID-19 Interim Mask Protocol		ORIGINAL EFFECTIVE DATE: 05/21/2020	
		REVISION DATE: 08/18/2021	3:3

Printed copies are for reference only. Please refer to the electronic copy for the latest version.
(This policy rescinds any previous publication covering the same material)

- I. **Policy:** Aultman colleagues will use CDC, ODH, and public health emergency practices to reduce the risk of staff exposures to COVID-19 and to conserve personal protective equipment (PPE) masks in a public health emergency. Healthcare personnel (HCP) are expected to comply with the COVID-19 Interim Mask Protocol while in any Aultman facility.

While, this practice is outside the normal recommended standard, in the interest of colleague safety this deviation from the standard policy is warranted. This policy continues to comply with the guidance and advice from CDC, ODH, and public health emergency practices. Due to the evolving situation, these guidelines may be periodically refined and revised.

Colleagues will continue to follow the “Isolation Protocol” Policy related to complete Personal Protective Equipment (PPE) that is required for isolation orders. This document addresses only the use of facemasks and eye protection. [Isolation Protocol](#)

- II. **Purpose:** To provide guidance in determining the type of facemask and eye protection to be worn while in each work setting to reduce the risk of employee exposures to COVID- 19 and to conserve facemasks and eye protection.

III. **Definitions:**

Mask Types

- Cloth Mask
 - A loose-fitting mask made of cloth.
 - Not considered a form of PPE.
 - Must be laundered daily at home.
 - Bandanas are not included at this time.
- Dust Mask
 - Loose-fitting, light weight mask designed to prevent large particles from entering wearer’s mouth and nose.

- Not considered a form of PPE in the Isolation Protocol Policy.
- Surgical Mask
 - A loose-fitting, disposable device that creates a physical barrier between the mouth and nose of the wearer and potential contaminants in the immediate environment.
- N95 Respirator Mask
 - Provides a very close facial fit and very efficient filtration of airborne particles.
 - The N95 respirator blocks at least 95% of very small test particles.

IV. Procedure

- A. Upon entering the facility every person, including patients, will be provided a dustmask if they do not have one with the following instructions:
 1. Keep the mask in place covering the nose and mouth unless alone in a room.
 2. Perform hand hygiene after touching the mask. [Hand Hygiene](#)
 3. Request a new mask if the mask becomes damp or soiled.
- B. When HCP interacts or provides patient care, instruct or assist the patient to apply a mask if he/she is able to tolerate.
 1. Mask the patient during transport
 2. Instruct or assist patient to apply mask any time anyone (visitor, clergy, etc.) is in the room.
 3. If the patient is unable to tolerate a mask, he/she may hold a tissue over their nose and mouth.
- C. Face mask or face coverings are contraindicated for:
 1. Children under the age of two (2).
 2. Anyone who has trouble breathing.
 3. Anyone who is unconscious, incapacitated, or otherwise unable to remove the face covering without assistance.

V. Procedure Healthcare Personnel (HCP)

- A. When the HCP is with a patient, required PPE includes at minimum a surgical mask and eye protection.
 1. Universal surgical mask and eye protection prevents exposure for the HCP from splashes and sprays of infectious material from others.
 2. Additional PPE such as gown, gloves, etc. should be used as required per Standard Precautions and Isolation Protocol.
- B. While in the healthcare facility:
 1. Maintain a minimum distance of six feet from others when possible.
 2. Wear a face mask unless eating or drinking.
 - a. While unmasked, maintain a minimum distance of six feet from others.
 3. Face mask may be removed if alone in a closed office.

VI. **Congregating (HCP and group patient activities)**

- A. When congregating in groups inside, there should be a limited number of individuals to allow social distancing.
- B. All individuals will wear at minimum a cloth or dust mask and will maintain separation of six (6) feet in all directions from all other individuals.
- C. The space used for a congregating group is not to be used or accessed by the public.
- D. When congregating in groups outside, maintain social distancing.

VII. **Mask Use**

A. **Mask Selection: Refer to Attachment A**

B. **Surgical Mask**

- 1. Perform hand hygiene before applying mask.
- 2. Wear a new surgical mask for each shift.
- 3. Wear the mask appropriately, covering the nose and mouth.
- 4. Wear the same surgical mask(s) for all patients including those in Droplet or Stringent Isolation.
- 5. Take caution to not touch the mask and perform hand hygiene immediately if there is a need to adjust the mask.
- 6. To remove the mask:
 - a. Use the ear loops.
 - b. Fold the mask so the outer surface is folded inward against itself to prevent contamination.
 - c. Store in a brown paper bag kept away from water or moisture.
- 7. Discard the mask at the end of the shift in the trash.
- 8. Perform hand hygiene.

C. **N95 Mask**

- 1. Perform hand hygiene before applying mask and conducting the seal check.
- 2. Select only an N95 mask for which the fit testing has been successfully completed.
- 3. Conduct a visual check in adequate lighting for damage to the respirator's fabric or seal.
- 4. Prior to each use, the colleague will perform a seal check to verify proper seal on face to provide optimal protection.
- 5. Wear a new N95 for each shift.
- 6. One N95 respirator mask is used for multiple airborne isolation patients with COVID-19.
- 7. If removing, store the N95 in a brown paper bag throughout the shift.
- 8. Obtain a new N95 if it is visibly soiled, wet, distorted, or damaged.
- 9. Discard the N95 respirator at the end of the shift.

10. Perform hand hygiene.

D. Clear Mask

1. Clear masks are available if needed for communicating with an individual who is hearing impaired or has another disability where the ability to see the mouth is essential for communication.
2. Clear masks should not be use in situations requiring airborne isolation precautions. Alternative communication methods are available and shouldbe used in these situations.

VIII. Eye Protection

A. Universal surgical mask and eye protection prevents exposure for the HCP fromsplashes and sprays of infectious material from others.

B. Types of Eye Protection.

1. Face shield with foam is person specific.
2. Goggles or safety glasses can be used for multiple staff when cleaned afteruse.

C. Clean and disinfect eye protection when;

1. Soiled or contaminated,
2. Eye protection is removed,
3. After use upon exiting an isolation room

D. Approved disinfectants for eye protection:

1. AF3 (gray top) wipes
2. Bleach wipes
3. Virex Plus Spray

E. Cleaning and Disinfecting Procedure:

1. Perform hand hygiene
2. Apply gloves
3. Remove eye protection
4. If visible soil or contamination is present, clean goggles or face shield prior to disinfection. This may be completed by:
 - a. Use of one disinfectant wipe or spray on disposable towel to remove soil or contamination (this is separate from disinfection)
 - b. Use of soap and water
5. Disinfect goggles or face shield with approved product.
6. Allow disinfectant to remain wet on surface goggles or face shield according to the product-specific recommended contact (kill) time (Followthe manufacturer's instructions for use.
7. Allow to dry.
8. If film residue is present, wipe with an alcohol wipe to remove

9. Remove gloves and cleanse hands
10. Place clean goggles in a clean basin for use by next shift
11. Retain personal face shield for re-use
12. After cleaning and disinfecting eye protection, an anti-fog wipe can be used to prevent fogging
13. Perform hand hygiene.

IX. Compliance

- A. In addition to following this guide, colleagues will continue to self-monitor for COVID-19 symptoms prior to their scheduled shift. If a colleague displays any symptoms of COVID-19, he/she is to follow entity specific procedures for notifying Employee or Colleague Health Services.
- B. HCP are expected to comply with the COVID-19 Interim Mask Protocol while in any Aultman facility. If noncompliant, the individual will be required to correct the violation immediately. Any noncompliance will be escalated to leadership and addressed through the respective disciplinary process outlined in the Employee Handbook or the Medical Staff process.

Source:

CDC Coronavirus Disease 2019 (COVID-19) Clinical Questions about COVID-19: Questions and Answers

CDC Interim U.S. Guidance for Risk Assessment and Work Restrictions for Healthcare Personnel with Potential Exposure to COVID-19

Related References:








Ohio Department of Health Director's Order for Social Distancing, Facial Coverings and Non-Congregating, April 5, 2021

Attachment A: Mask Selection

Colleague Category	Type of Mask
Colleagues who work in an office or area occupied by one person	Cloth Mask or Dust Mask when someone enters
Colleagues who work in an office or area with multiple individuals and maintain social distancing, no patient or visitor interaction	Cloth Mask or Dust Mask worn by all when anyone is moving about the office
Colleagues who work in an office or area with multiple individuals and are unable to maintain social distancing, no patient or visitor interaction	Cloth Mask or Dust Mask at all times
Colleagues who have brief non-clinical patient interaction with no direct patient contact and social distancing is maintained	Cloth Mask or Dust Mask at all times
Colleagues performing patient care or working within six feet of a patient	Surgical Mask and Eye Protection
Colleagues caring for suspected or confirmed patients with a disease requiring airborne isolation precautions	N95 Mask, PAPR, CAPR, or higher level and Eye Protection Additional PPE as required by Isolation Protocol
Colleagues collecting a Nasopharyngeal swab per CDC COVID Guidance	N95 Mask, PAPR, CAPR, or higher level and Eye Protection Additional PPE as required by Isolation Protocol
Colleagues operating a vehicle with passengers	Surgical Mask All passengers must wear cloth or dust mask
<p>Aerosol Generating Procedures on <u>suspect or confirmed COVID</u> patients: There is neither expert consensus, nor sufficient supporting data, to create a definitive and comprehensive list of AGPs for healthcare settings.</p> <p>Commonly performed medical procedures that are often considered AGPs, or that create uncontrolled respiratory secretions, include:</p> <ul style="list-style-type: none"> ● open suctioning of airways ● sputum induction ● cardiopulmonary resuscitation (CPR) ● endotracheal intubation and extubation ● non-invasive ventilation (e.g., BiPAP, CPAP) ● bronchoscopy ● manual ventilation <p>https://www.cdc.gov/coronavirus/2019-ncov/hcp/faq.html</p>	<p>N95 Mask, PAPR, CAPR, or higher level and full airborne PPE</p> <p>Endotracheal Intubation Extubation</p> <p>Intubation and Extubation Risk Stratification</p>

Types of Masks and Eye Protection

Mask Room Phone Number: 39721

N95 Mask Number	Picture	Description
1860		<ul style="list-style-type: none"> • Used for Airborne Isolation • Requires fit testing to specific type and size
1860s		<ul style="list-style-type: none"> • Used for Airborne Isolation • Requires fit testing to specific type and size
2130		<ul style="list-style-type: none"> • Used for Airborne Isolation • Requires fit testing to specific type and size
1804s		<ul style="list-style-type: none"> • Used for Airborne Isolation • Requires fit testing to specific type and size
Surgical Mask		<ul style="list-style-type: none"> • Minimum facemask used for patient contact if not able to socially distance • Used for other Isolation types per policy
Dust or Cloth Mask		<ul style="list-style-type: none"> • Not considered a form of Personnel Protective Equipment • Used by patients when not alone in room • Used by visitors while in the facility
Eye Protection		<ul style="list-style-type: none"> • Used for all patient interactions • Prescription glasses are not a form of PPE • Provides protection from infectious body fluid

Temperature & Screen Log

Please Screen for Symptoms and Log Your Temperature Before Each Clinical

- Take your own temperature within 2 hours before coming to the clinical site. Your instructor will request your temperature reading and verify screening completed to be placed in a daily screening log.
- Complete the first symptom screening section. Are you experiencing any of the following: new onset cough, shortness of breath, difficulty breathing, chills, fatigue, muscle or body aches, headache, new loss of taste or smell, sore throat, congestion or runny nose, nausea or vomiting or diarrhea?
- Have you been exposed to others with suspected or confirmed COVID 19 in the last 14 days?
- Have you been tested for suspected COVID 19 and awaiting results?
- Have you tested positive for COVID 19 in the last 10 days?
- If your temperature is ≥ 100.0 F or you answered yes to the symptoms section:
 - **You should stay home and call your instructor, preceptor - OR -**
 - **If you are already at the clinical site, you will be asked to go home. Once home, notify your instructor, preceptor, and unit manager if you have not already done so.**
- If your temperature is lower than 100.0 F and if you have none of the symptoms listed, you may report to the clinical site and log your temperature and absence of symptoms with your instructor or preceptor upon arrival.



Student Attestation Coordinator Attestation

Student Attestation of Required Student Experience Educational Packet

I have received and reviewed the Student Experience Educational Packet.

I am responsible and accountable for the information in the Student Experience Packet.

Print Name: _____

Signature: _____

Date: _____

Attention Students: Please give a signed copy to your instructor.



Instructor / Program Coordinator Attestation

of the Required Student Experience Educational Packet for Students

I have received and can attest that all participating students from
_____ (program name)

have completed the educational requirements contained in the Student Experience Educational Packet.

Instructor/ Program Coordinator

Print Name: _____

Signature: _____

Date: _____

Please email signed form before the start date of the clinical experience to

Studentexperience@aultman.com